

HM

LIM

495

Lime rotative

Visit the online
Product Sheet

LIM | 495

Inverted cone shape rotary blurr, sharpened end

WKN
(S)DIN
8033

Materials

Steel < 800 n/mm²Steel < 1000 n/mm²Steel < 1300 n/mm²

Grey cast iron



Ferritic/Martensitic steel



Austenitic steel



PH Duplex



Aluminium



Copper



Thermoplastic resin



Difficult-to-machine Superalloys



Very difficult-to-machine Superalloys



Titanium



Coatings

Uncoated (HM0)

Balinit® Alcrona (HMG)

32 Articoli | 2 Pages | This tool is available in 4 diameters and 2 coatings.

 Please consider the environment, before printing this document.

C	D +/-0,1	d h7	L	I	α2	Shank ref.	Coatings (Balinit®)	Code
Double (0)	6,00	6,00	50	7,00	-5,0	HA	Uncoated (HM0)	HM04956060
Double (0)	8,00	6,00	53	8,00	-5,0	HA	Uncoated (HM0)	HM04956080
Double (0)	10,00	6,00	55	13,00	-5,0	HA	Uncoated (HM0)	HM04956100
Double (0)	12,00	6,00	57	13,00	-10,0	HA	Uncoated (HM0)	HM04956120
Double (0)	6,00	6,00	50	7,00	-5,0	HA	Alcrona (HMG)	HMG4956060
Double (0)	8,00	6,00	53	8,00	-5,0	HA	Alcrona (HMG)	HMG4956080
Double (0)	10,00	6,00	55	13,00	-5,0	HA	Alcrona (HMG)	HMG4956100
Double (0)	12,00	6,00	57	13,00	-10,0	HA	Alcrona (HMG)	HMG4956120
Alu (A)	6,00	6,00	50	7,00	-5,0	HA	Uncoated (HM0)	HM0495606A
Alu (A)	8,00	6,00	53	8,00	-5,0	HA	Uncoated (HM0)	HM0495608A
Alu (A)	10,00	6,00	55	13,00	-5,0	HA	Uncoated (HM0)	HM0495610A
Alu (A)	12,00	6,00	57	13,00	-10,0	HA	Uncoated (HM0)	HM0495612A
Alu (A)	6,00	6,00	50	7,00	-5,0	HA	Alcrona (HMG)	HMG495606A
Alu (A)	8,00	6,00	53	8,00	-5,0	HA	Alcrona (HMG)	HMG495608A
Alu (A)	10,00	6,00	55	13,00	-5,0	HA	Alcrona (HMG)	HMG495610A
Alu (A)	12,00	6,00	57	13,00	-1,0	HA	Alcrona (HMG)	HMG495612A
Diamond (D)	6,00	6,00	50	7,00	-5,0	HA	Uncoated (HM0)	HM0495606D
Diamond (D)	8,00	6,00	53	8,00	-5,0	HA	Uncoated (HM0)	HM0495608D
Diamond (D)	10,00	6,00	55	13,00	-5,0	HA	Uncoated (HM0)	HM0495610D
Diamond (D)	12,00	6,00	57	13,00	-10,0	HA	Uncoated (HM0)	HM0495612D
Diamond (D)	6,00	6,00	50	7,00	-5,0	HA	Alcrona (HMG)	HMG495606D
Diamond (D)	8,00	6,00	53	8,00	-5,0	HA	Alcrona (HMG)	HMG495608D
Diamond (D)	10,00	6,00	55	13,00	-5,0	HA	Alcrona (HMG)	HMG495610D
Diamond (D)	12,00	6,00	57	13,00	-1,0	HA	Alcrona (HMG)	HMG495612D
Single (S)	6,00	6,00	50	7,00	-5,0	HA	Uncoated (HM0)	HM0495606S
Single (S)	8,00	6,00	53	8,00	-5,0	HA	Uncoated (HM0)	HM0495608S
Single (S)	10,00	6,00	55	13,00	-5,0	HA	Uncoated (HM0)	HM0495610S
Single (S)	12,00	6,00	57	13,00	-10,0	HA	Uncoated (HM0)	HM0495612S
Single (S)	6,00	6,00	50	7,00	-5,0	HA	Alcrona (HMG)	HMG495606S
Single (S)	8,00	6,00	53	8,00	-5,0	HA	Alcrona (HMG)	HMG495608S
Single (S)	10,00	6,00	55	13,00	-5,0	HA	Alcrona (HMG)	HMG495610S
Single (S)	12,00	6,00	57	13,00	-10,0	HA	Alcrona (HMG)	HMG495612S